L Number	Hits	Search Text	DB	Time stamp
1	87	calibration with vinyl	USPAT;	2004/05/27
ļ			US-PGPUB;	07:11
			EPO; JPO;	
			DERWENT	
2	1	calibration with hose with vinyl	USPAT;	2004/05/27
			US-PGPUB;	07:12
ŀ			EPO; JPO;	
_	****	cure with hours	DERWENT	0004/05/05
3	10522	cure with nours	USPAT; US-PGPUB;	2004/05/27 07:12
			EPO; JPO;	07.12
ĺ			DERWENT	
,	1712	138/97.ccls. or 138/98.ccls.	USPAT;	2004/05/27
4	1/12	130/9/.005.01 130/90.005.	US-PGPUB;	07:12
ļ			EPO; JPO;	0/
ŀ			DERWENT	
5	32	(cure with hours) and (138/97.ccls. or 138/98.ccls.)	USPAT;	2004/05/27
١ ١	J -	(-0010 111111 110 112) 11111 (-007)/////////	US-PGPUB;	07:13
			EPO; JPO;	' "
			DERWENT	
6	157802	calibration	USPAT;	2004/05/27
	<u>,</u>		US-PGPUB;	07:13
			EPO; JPO;	
			DERWENT	
7	0	((cure with hours) and (138/97.ccls. or 138/98.ccls.)) and	USPAT;	2004/05/27
		calibration	US-PGPUB;	07:13
			EPO; JPO;	
			DERWENT	
8	21	(138/97.ccls. or 138/98.ccls.) and calibration	USPAT;	2004/05/27
			US-PGPUB;	07:14
[EPO; JPO;	
			DERWENT	
9	954151	hours	USPAT;	2004/05/27
İ			US-PGPUB; EPO; JPO;	07:14
			DERWENT	
10	5	((138/97.ccls. or 138/98.ccls.) and calibration) and hours	USPAT;	2004/05/27
10	3	((130/9/.ccis. of 130/90.ccis.) and canoration) and notice	US-PGPUB;	07:15
			EPO; JPO;	07.13
			DERWENT	
111	1115	calibration with hours	USPAT;	2004/05/27
••	1113	ounded with mound	US-PGPUB;	07:15
			EPO; JPO;	′ °
ľ			DERWENT	
12	293958	lining or liner	USPAT;	2004/05/27
			US-PGPUB;	07:15
			EPO; JPO;	
1			DERWENT	
13	63	(calibration with hours) and (lining or liner)	USPAT;	2004/05/27
			US-PGPUB;	07:16
i			EPO; JPO;	
ļ	_		DERWENT	
14	106371	156/\$.ccls.	USPAT;	2004/05/27
j			US-PGPUB;	07:16
l			EPO; JPO;	
,,	4=/	405/\$ colo	DERWENT	2004/05/05
15	47654	405/\$.ccls.	USPAT;	2004/05/27 07:16
I			US-PGPUB; EPO; JPO;	07.10
1			DERWENT	
16	153780	156/\$.ccls. or 405/\$.ccls.	USPAT;	2004/05/27
	100/00	1.10/ φ.οοιο. οτ 40.0/ φ.οοιο.	US-PGPUB;	07:16
1			EPO; JPO;	5/.10
			DERWENT	}

15	0	((calibration with hours) and (lining or liner)) and	USPAT;	2004/05/27
17	"	((campration with hours) and (fining of finer)) and (156/\$.ccls. or 405/\$.ccls.)	US-PGPUB;	07:16
		(150/ \$.ccis. of 405/ \$.ccis.)	EPO; JPO;	07.10
			DERWENT	
18	1089	(cure with hours) and (156/\$.ccls. or 405/\$.ccls.)	USPAT;	2004/05/27
10	1009	(cure with hours) and (1307 \$1000 or 4037 \$1000.)	US-PGPUB;	07:16
			EPO: JPO:	07.10
			DERWENT	
19	187	(lining or liner) and ((cure with hours) and (156/\$.ccls. or	USPAT:	2004/05/27
19	10/	405/\$.ccls.))	US-PGPUB:	07:17
		403/ ψ.∞	EPO; JPO;	0/.1/
			DERWENT	:
20	18	(138/97.ccls. or 138/98.ccls.) and ((lining or liner) and ((cure	USPAT;	2004/05/27
		with hours) and (156/\$.ccls. or 405/\$.ccls.)))	US-PGPUB:	07:17
		11 11 11 11 11 11 11 11 11 11 11 11 11	EPO; JPO;	-//
			DERWENT	
-	1	("5680885").PN.	USPAT;	2004/05/26 11:15
			US-PGPUB;	,, 0,
			EPO; JPO	
-	15	("4135958" "4366012" "4401696" "4434115" "4439469"	USPAT	2004/05/21
		"4581085" "4581247" "4602974" "4622196"		07:40
		"4637754" "4714095" "4758454" "4770562" "5172730"		
		"5280811").PN.		
-	6	("3422631" "3494813" "4009063" "4350548"	USPAT	2004/05/21
		"4456401" "4668125").PN.		08:48
-	56	4770562.URPN.	USPAT	2004/05/21
				08:51

		("orogoog!! "or to ((a!! !! ora : === !! !! = = (0 = == !!	HODATE	0.00100100
-	200	("0130303" "0143661" "0154725" "0268903" "0470669" "0602301" "0614749" "0680974"	USPAT	2004/05/21
		04/0009 0002301 0014/49 00809/4 "0738289" "1226023" "1320413" "1736293" "2090851"		10:36
		"2178554" "2195222" "2198821" "2285370" "2312993"		
		"2326827" "2327023" "2345766" "2352768"		
		"2354399" "2575353" "2595408" "2622327" "2632205"		
		"2697585" "2770950" "2794758" "2910042"		
		"2987768" "3028284" "3037228" "3061496"		
		"3080269" "3122786" "3132062" "3175392" "3179551" "3333311" "3340115" "3376180" "3376181" "3511734"		
		"3560295" "3583169" "3603096" "3666586" "3720557"		
		"3753766" "3834421" "3895604" "3927464"		
		"3940942" "3996967" "4009063" "4064211" "4127430"		
		"4135958" "4182262" "4197908" "4207130" "4233101"		
1		"4247345" "4308824" "4327132" "4329937"		
		"4350548" "4361451" "4366012" "4371569" "4373554"		
		"4385885" "4386628" "4390574" "4401696" "4419163"		
		"4496499" "4505613" "4508582" "4529008"		
		"4548783" "4568581" "4577388" "4581085" "4581247"		
		"4585033" "4593721" "4600615" "4602974"		
		"4604152" "4622196" "4625766" "4626133" "4630676"		
		"4637588" "4637754" "4640313" "4649004"		
		"4655638" "4668125" "4672832" "4677472" "4680066" "4681782" "4684410" "468456" "4685082"		
		"4681783" "4684419" "4684556" "4685983" "4701988" "4710337" "4714095" "4723579" "4733699"		
		"4738565" "4752431" "4752511" "4754781" "4758454"		
		"4759656" "4770562" "4773450" "4776370" "4777984"		
		"4778553" "4786345" "4790975" "4808098"		
,		"4810453" "4819721" "4836715" "4867921" "4871413"		
		"4877665" "4883557" "4897135" "4901424" "4907624"		
1				
		4950038		
		"5018545" "5019417" "5027895" "5029615" "5030493"		
		"5044405" "5044824" "5049003" "5068940"		
		"5077107" "5099911" "5104595" "5106440" "5108533"		
		"5122193" "5150989" "5154936" "5163481" "5172730"		
		"5186215" "5205886" "5213727" "5225121" "5230842" "5241993" "5246641" "5265648" "5265671" "5265981"		
		5241993 5240041 5205048 5205071 5205961 "5271433" "5280811" "5286144" "5307608" "5309947"		
		"5322653" "5329063" "5340524" "5374174" "5397513"		
		1"5409561").PN.		
-	438269	spray\$3	USPAT;	2004/05/21 11:07
			US-PGPUB;	
	40.400==	anuface.	EPO; JPO	0004/05/03 33:05
-	4240019	surface	USPAT; US-PGPUB;	2004/05/21 11:07
			EPO; JPO	
-	313811	spray\$3 and surface	USPAT;	2004/05/21
	0-0-44	1 5.0	US-PGPUB;	11:08
			EPO; JPO	
-	596	138/98.ccls.	USPAT;	2004/05/21
			US-PGPUB;	11:08
	64	(spray\$3 and surface) and 138/98.ccls.	EPO; JPO USPAT;	2004/05/21 11:10
-	04	(sprayog and surface) and 130/90.0018.	US-PGPUB;	2004/05/21 11:10
			EPO; JPO	
-	106323	spray\$3 with surface	USPAT;	2004/05/21 11:11
			US-PGPUB;	+,
			EPO; JPO	
-	21	138/98.ccls. and (spray\$3 with surface)	USPAT;	2004/05/21 11:11
_	R	 ("1085007" "3616123" "4606707" "5077107" "5114607"		2004/05/21 11:17
	J	"5538588" "5677046" "5924262").PN.		
-	8	("1985997" "3616123" "4696707" "5077107" "5114697"	US-PGPUB; EPO; JPO USPAT	2004/05/21 11:17

	· · · · · · · · · · · · · · · · · · ·	LED Occorded P. J.	TYODAM	
-	1	EP-850381-\$.did.	USPAT;	2004/05/26
			US-PGPUB; EPO; JPO;	11:44
			DERWENT	
<u> </u>	1394	138/97.ccls.	USPAT;	2004/05/26
	1394	130/9/.005.	US-PGPUB;	11:44
			EPO; JPO;	****
1			DERWENT	
-	1712	138/97.ccls. or 138/98.ccls.	USPAT;	2004/05/27
	-,	-0-1, 5,1	US-PGPUB;	07:12
			EPO; JPO;	,
			DERWENT	
-	157600	calibration	USPAT;	2004/05/26
			US-PGPUB;	11:44
			EPO; JPO;	
	•		DERWENT	
-	21	(138/97.ccls. or 138/98.ccls.) and calibration	USPAT;	2004/05/26
			US-PGPUB;	11:44
			EPO; JPO;	
	225		DERWENT	0001/05/56
-	336023	steam	USPAT;	2004/05/26
			US-PGPUB;	11:45
			EPO; JPO; DERWENT	
	8	((109/07 calc or 109/09 calc) and calibration) and steem		0004/05/06
Ī -	°	((138/97.ccls. or 138/98.ccls.) and calibration) and steam	USPAT; US-PGPUB;	2004/05/26
ŀ			EPO; JPO;	11:54
			DERWENT	
_	106343	156/\$.ccls.	USPAT;	2004/05/26
	100343	1307 ψ.ccis.	US-PGPUB;	11:54
			EPO; JPO;	11.04
			DERWENT	
-	47651	405/\$.ccls.	USPAT;	2004/05/26
	1/ 0*	1 0/	US-PGPUB;	11:55
			EPO; JPO;	
			DERWENT	
-	632	calibration and 156/\$.ccls.	USPAT;	2004/05/26
			US-PGPUB;	11:55
			EPO; JPO;	
			DERWENT	
-	50	(calibration and 156/\$.ccls.) and steam	USPAT;	2004/05/26
			US-PGPUB;	11:56
			EPO; JPO;	
	_	ED 970091 6 did and steem	DERWENT	0004/05/06
-	0	EP-850381-\$.did. and steam	USPAT; US-PGPUB;	2004/05/26 12:00
			EPO; JPO;	12.00
			DERWENT	
-	5141	structural with epoxy	USPAT;	2004/05/26
-	3.41	The state of the s	US-PGPUB;	12:00
			EPO; JPO;	
			DERWENT	
-	7	(138/97.ccls. or 138/98.ccls.) and (structural with epoxy)	USPAT;	2004/05/26
	,	• • • • • • • • • • • • • • • • • • • •	US-PGPUB;	12:02
1			EPO; JPO;	
			DERWENT	
-	21010	structural with resin	USPAT;	2004/05/26
			US-PGPUB;	12:02
			EPO; JPO;	
		(400/07 1) 1100/00 13 16 1 1 11 13	DERWENT	
-	40	(138/97.ccls. or 138/98.ccls.) and (structural with resin)	USPAT;	2004/05/26
			US-PGPUB;	12:08
1			EPO; JPO;	
L		I	DERWENT	_

-	6	NSF with epoxy	USPAT;	2004/05/26
			US-PGPUB;	12:20
			EPO; JPO;	
1			DERWENT	
-	162389	cur\$3 with temperature	USPAT;	2004/05/26
			US-PGPUB;	12:20
			EPO; JPO;	
			DERWENT	
-	112	(138/97.ccls. or 138/98.ccls.) and (cur\$3 with temperature)	USPAT;	2004/05/26
			US-PGPUB;	12:20
			EPO; JPO;	
1			DERWENT	
-	293763	lining or liner	USPAT;	2004/05/26
			US-PGPUB;	14:17
			EPO; JPO;	'
			DERWENT	
-	82	((138/97.ccls. or 138/98.ccls.) and (cur\$3 with temperature))	USPAT;	2004/05/26
]	and (lining or liner)	US-PGPUB;	13:36
			EPO; JPO;	"
			DERWENT	
-	1349161	fluid	USPAT;	2004/05/26
			US-PGPUB;	13:36
			EPO; JPO;	0.0
			DERWENT	
-	69	(((138/97.ccls. or 138/98.ccls.) and (cur\$3 with	USPAT;	2004/05/26
		temperature)) and (lining or liner)) and fluid	US-PGPUB;	13:37
			EPO; JPO;	-0.0/
			DERWENT	
-	596	138/98.ccls.	USPAT;	2004/05/26
	390	100/ 20100E	US-PGPUB;	14:17
			EPO; JPO;	*'す **/
			DERWENT	
_	293763	lining or liner	USPAT;	2004/05/26
	293/03	many or mici	US-PGPUB;	14:17
			EPO; JPO;	+7'*/
			DERWENT	
_	319	138/98.ccls. and (lining or liner)	USPAT;	2004/05/26
	319	130/ 30.000. and (mining of mict)	US-PGPUB;	14:18
			EPO; JPO;	14.10
			DERWENT	
	387625	ероху	USPAT;	2004/05/26
	30/025	opony	US-PGPUB;	14:18
			EPO; JPO;	14.10
			DERWENT	
_	790	"slow cure"	USPAT;	2004/05/26
	/90	SIOTI CUIC	US-PGPUB;	14:18
			EPO; JPO;	14.10
			DERWENT	
_	49	epoxy with "slow cure"	USPAT;	2004/05/26
	49	opony mini stom outo	US-PGPUB;	14:18
			EPO; JPO;	14.10
			DERWENT	
_		(138/98.ccls. and (lining or liner)) and (epoxy with "slow	USPAT;	2004/05/26
-	0	cure")	US-PGPUB;	2004/05/26
				14:18
			EPO; JPO;	
		109/09 cole and (anoversith "class cores")	DERWENT	0004/05/06
-	0	138/98.ccls. and (epoxy with "slow cure")	USPAT;	2004/05/26
			US-PGPUB;	14:19
			EPO; JPO;	
			DERWENT	
-	4	(lining or liner) and (epoxy with "slow cure")	USPAT;	2004/05/26
			US-PGPUB;	14:19
			EPO; JPO;	
			DERWENT	

-	142	(138/98.ccls. and (lining or liner)) and epoxy	USPAT;	2004/05/26
			US-PGPUB;	15:51
	i		EPO; JPO;	
			DERWENT	
_	10211	polyester with urethane with epoxy	USPAT;	2004/05/26
			US-PGPUB;	15:51
			EPO; JPO;	
			DERWENT	
-	1712	138/97.ccls. or 138/98.ccls.	USPAT;	2004/05/26
			US-PGPUB;	15:51
			EPO; JPO;	
			DERWENT	
-	13	(polyester with urethane with epoxy) and (138/97.ccls. or	USPAT;	2004/05/27
		138/98.ccls.)	US-PGPUB;	07:11
			EPO; JPO;	
	1		DERWENT	